





OD kuro purkštukai. Mažiausias užsakomas kiekis 10 vnt					LTL be PVM
30 H F	0.030	100	Usgal/h 0.30-0.35		38,41
30 H F	0.030	100	USgal/h 0.40-0.45		33,29
30 H F	0.030	100	USgal/h 0.50-9.00		30,45
	kg/h		60°	80°	Usgal/h
	1.15		030F6102	030F8102	0.30
	1.35		030F6103	030F8103	0.35

Užsakymo lentelės


CEN	CEN kg/h	žymėjimas			Usgal/h
		45°	60°	80°	
	1.46	030F4904	030F6904	030F8904	0.40
	1.66	030F4906	030F6906	030F8906	0.45
	1.87	030F4908	030F6908	030F8908	0.50
	2.11	030F4910	030F6910	030F8910	0.55
	2.37	030F4912	030F6912	030F8912	0.60
	2.67	030F4914	030F6914	030F8914	0.65
	2.94	030F4916	030F6916	030F8916	0.75
	3.31	030F4918	030F6918	030F8918	0.85
	3.72	030F4920	030F6920	030F8920	1.00
	4.24	030F4922	030F6922	030F8922	1.10
	4.45	030F4923	030F6923	030F8923	1.20
	4.71	030F4924	030F6924	030F8924	1.25
	5.17	030F4926	030F6926	030F8926	1.35
	5.84	030F4928	030F6928	030F8928	1.50
	6.08	030F4929	030F6929	030F8929	1.65
	6.55	030F4930	030F6930	030F8930	1.75

DANFOSS A30-157.10	30°	45°	60°	80°	Usgal/h
	030F3108				0.50
	030F3110				0.55
	030F3112	↑	↑	↑	0.60
	030F3114	↑	↑	↑	0.65
	030F3116	↑	↑	↑	0.75
	030F3118	↑	↑	↑	0.85
	030F3120	↑	↑	↑	1.00
	030F3122	↑	↑	↑	1.10
	030F3123	↑	↑	↑	1.20
	030F3124	↑	↑	↑	1.25
	030F3126	↑	↑	↑	1.35
	030F3128	↑	↑	↑	1.50
	030F3129	↑	↑	↑	1.65
	030F3130	↑	↑	↑	1.75
	030F3132	030F4132	030F6132	030F8132	2.00
	030F3134	030F4134	030F6134	030F8134	2.25
	030F3136	030F4136	030F6136	030F8136	2.50
	030F3138	030F4138	030F6138	030F8138	2.75
	030F3140	030F4140	030F6140	030F8140	3.00
	030F3142	030F4142	030F6142	030F8142	3.50
		030F4143	030F6143		3,75
		030F4144	030F6144	030F8144	4.00
		030F4146	030F6146	030F8146	4.50
		030F4148	030F6148	030F8148	5.00
		030F4150	030F6150	030F8150	5.50
		030F4152	030F6152	030F8152	6.00
			030F6154		7.00
			030F6156		8.00
			030F6158		9.00

OD kuro purkštukai				LTL be PVM
Mažiausias užsakomas kiekis 10 vnt				
30 H F	0.030	100	USgal/h 0.30-0.35	38,41
30 H F	0.030	100	USgal/h 0.40-0.45	33,29
30 H F	0.030	100	USgal/h 0.50-3.00	30,45


	kg/h	60°	80°	USgal/h
	1.15	030H6102	030H8102	0.30
1.35	030H6103	030H8103	0.35	

Užsakymo lentelės

	CEN	žymėjimas			
	kg/h	45°	60°	80°	USgal/h
1.46			030H6904	030H8904	0.40
1.66			030H6906	030H8906	0.45
1.87	030H4908		030H6908	030H8908	0.50
2.11	030H4910		030H6910	030H8910	0.55
2.37	030H4912		030H6912	030H8912	0.60
2.67	030H4914		030H6914	030H8914	0.65
2.94	030H4916		030H6916	030H8916	0.75
3.31	030H4918		030H6918	030H8918	0.85
3.72	030H4920		030H6920	030H8920	1.00
4.24	030H4922		030H6922	030H8922	1.10
4.45	030H4923		030H6923	030H8923	1.20
4.71	030H4924		030H6924	030H8924	1.25
5.17	030H4926		030H6926	030H8926	1.35
5.84	030H4928		030H6928	030H8928	1.50
6.08	030H4929		030H6929	030H8929	1.65
6.55	030H4930		030H6930	030H8930	1.75

CEN CEN CEN





	30°	45°	60°	80°	USgal/h
	030H3108				
030H3110		↑	↑	↑	0.55
030H3112					0.60
030H3114					0.65
030H3116		↑	↑	↑	0.75
030H3118		↑	↑	↑	0.85
030H3120					1.00
030H3122		↑	↑	↑	1.10
030H3123					1.20
030H3124					1.25
030H3126		↑	↑	↑	1.35
030H3128					1.50
030H3129					1.65
030H3130					1.75
030H3132		030H4132	030H6132	030H8132	2.00
030H3134		030H4134	030H6134	030H8134	2.25
030H3136		030H4136	030H6136	030H8136	2.50
030H3138		030H4138	030H6138	030H8138	2.75
030H3140		030H4140	030H6140	030H8140	3.00

HR ir SR kuro purkštukai

Mažiausias užsakomas kiekis 10 vnt

LTL be PVM
PVM



OD HR/SR	0.030	100	USgal/h 0.30-0.35	38,41
OD HR/SR	0.030	100	USgal/h 0.40-0.45	33,29
OD HR/SR	0.030	100	USgal/h 0.50-	30,45

 DANFOSS A30-216.10	žymėjimas				
	kg/h	45°	60°	80°	USgal/h
1,15			030F7902	030F9902	0.30
1,35			030F7903	030F9903	0.35
1,46	030F5904		030F7904	030F9904	0.40
1,66	030F5906		030F7906	030F9906	0.45
1,87	030F5908		030F7908	030F9908	0.50
2,11	030F5910		030F7910	030F9910	0.55
2,37	030F5912		030F7912	030F9912	0.60
2,67	030F5914		030F7914	030F9914	0.65
2,94	030F5916		030F7916	030F9916	0.75
3,31	030F5918		030F7918	030F9918	0.85
3,72	030F5920		030F7920	030F9920	1.00
4,24	030F5922		030F7922	030F9922	1.10
4,45	030F5923		030F7923	030F9923	1.20
4,71	030F5924		030F7924	030F9924	1.25
5,17	030F5926		030F7926	030F9926	1.35
5,84	030F5928		030F7928	030F9928	1.50
6,08	030F5929		030F7929	030F9929	1.65
6,55	030F5930		030F7930	030F9930	1.75
7,42			030F7932		2.00
8,35			030F7934		2.25
9,29			030F7936		2.50
 DANFOSS A30-216.10	kg/h	45°	60°	80°	USgal/h
1,15			030H7902	030H9902	0.30
1,35			030H7903	030H9903	0.35
1,46			030H7904	030H9904	0.40
1,66			030H7906	030H9906	0.45
1,87	030H5908		030H7908	030H9908	0.50
2,11	030H5910		030H7910	030H9910	0.55
2,37	030H5912		030H7912	030H9912	0.60
2,67	030H5914		030H7914	030H9914	0.65
2,94	030H5916		030H7916	030H9916	0.75
3,31	030H5918		030H7918	030H9918	0.85
3,72	030H5920		030H7920	030H9920	1.00
4,24	030H5922		030H7922	030H9922	1.10
4,45	030H5923		030H7923	030H9923	1.20
4,71	030H5924		030H7924	030H9924	1.25
5,17	030H5926		030H7926	030H9926	1.35
5,84	030H5928		030H7928	030H9928	1.50
6,08	030H5929		030H7929	030H9929	1.65
6,55	030H5930		030H7930	030H9930	1.75

OD kuro purkštukai

Mažiausias užsakomas kiekis 10 vnt

					LTL be PVM
OD		0.030	100	USgal/h 0.60-11.00	30,45
OD		0.030	100	USgal/h 12.00-19.50	33,29
OD		0.030	100	USgal/h 22.00-	36,03

		30°	45°	60°	80°	USgal/h	
				030B0103	030B0203	0.60	
		030B0004	030B0054	030B0104	030B0204	0.65	
		030B0005	030B0055	030B0105	030B0205	0.75	
		030B0006	030B0056	030B0106	030B0206	0.85	
		030B0007	030B0057	030B0107	030B0207	1.00	
		030B0009	030B0059	030B0109	030B0209	1.25	
		030B0010	030B0060	030B0110	030B0210	1.35	
		030B0011	030B0061	030B0111	030B0211	1.50	
		030B0013	030B0063	030B0113	030B0213	2.00	
		030B0014	030B0064	030B0114	030B0214	2.25	
		030B0015	030B0065	030B0115	030B0215	2.50	
		030B0016	030B0066	030B0116	030B0216	2.75	
		030B0017	030B0067	030B0117	030B0217	3.00	
		030B0019	030B0069	030B0119	030B0219	3.75	
				030B0071	030B0121	030B0221	4.50
				030B0073	030B0123	030B0223	5.00
				030B0075	030B0125	030B0225	5.50
				030B0077	030B0127	030B0227	6.00
				030B0079	030B0129	030B0229	6.50
			030B0081	030B0131	030B0231	7.50	
			030B0083	030B0133	030B0233	8.50	
			030B0085	030B0135	030B0235	10.00	
			030B0087	030B0137	030B0237	11.00	
			030B0089	030B0139	030B0239	12.00	
			030B0091	030B0141	030B0241	13.50	
		030B0093	030B0143	030B0243	15.00		
			030B0145	030B0245	17.00		
			030B0147	030B0247	19.50		
		030B0096	030B0149	030B0249	22.00		
			030B0151	030B0251	25.00		
			030B0153	030B0253	28.00		
		030B0099	030B0155	030B0255	31.50		
		030B0100			35.00		

Piedai					LTL be PVM
030-0058	0.295	5**	Dežutė (40-ai vientų)		60,49
030-0522	0.050	25**	1/4" BSP, purkštuko laikiklis		54,95
030-0523	0.050	25**	1/8" BSP, purkštuko laikiklis		54,95

**minimalus užsakomas kiekis



OIL NOZZLES Tipas LE

Mažiausias užsakomas kiekis 10 vnt

				LTL be PVM
LE	0.030	100	USgal/h 0.40-0.45	86,77
LE	0.030	100	USgal/h 0.50-2.00	78,68

Kodai S tipo purkštukams

USgal/h	45°S	60°S	80°S
0.40		030F6704	030F8704
0.45		030F6706	030F8706
0.50	030F4708	030F6708	030F8708
0.55	030F4710	030F6710	030F8710
0.60	030F4712	030F6712	030F8712
0.65	030F4714	030F6714	030F8714
0.75	030F4716	030F6716	030F8716
0.85	030F4718	030F6718	030F8718
1.00	030F4720	030F6720	030F8720
1.10	030F4722	030F6722	030F8722
1.20	030F4723	030F6723	030F8723
1.25	030F4724	030F6724	030F8724
1.35	030F4726	030F6726	030F8726
1.50	030F4728	030F6728	030F8728
1.65	030F4729	030F6729	030F8729
1.75	030F4730	030F6730	030F8730
2.00	030F4732	030F6732	030F8732

Kodai H tipo purkštukams

USgal/h	45°H	60°H	80°H
0.40		030H6704	030H8704
0.45		030H6706	030H8706
0.50	030H4708	030H6708	030H8708
0.55	030H4710	030H6710	030H8710
0.60	030H4712	030H6712	030H8712
0.65	030H4714	030H6714	030H8714
0.75	030H4716	030H6716	030H8716
0.85	030H4718	030H6718	030H8718
1.00	030H4720	030H6720	030H8720
1.10	030H4722	030H6722	030H8722
1.20	030H4723	030H6723	030H8723
1.25	030H4724	030H6724	030H8724
1.35	030H4726	030H6726	030H8726
1.50	030H4728	030H6728	030H8728
1.65	030H4729	030H6729	030H8729
1.75	030H4730	030H6730	030H8730
2.00	030H4732	030H6732	030H8732

LN ir LN/LE purkštukai
Mažiausias užsakomas kiekis 10 vnt

				LTL be PVM
LN	0.030	100	USgal/h 0.40-0.45	41,77
LN	0.030	100	USgal/h 0.50-1.00	37,99

žymėjimas USgal/h	Tipas LN kampas ir tipas 60°N	našumas* kg/h
0.45	030H6406	1.45
0.50	030H6408	1.65
0.55	030H6410	1.89
0.60	030H6412	2.17
0.65	030H6414	2.45
0.75	030H6416	2.78
0.85	030H6418	3.20
1.00	030H6420	3.63

*purkštukų duomenys paskaičiuoti esant: 10 bar - 2.0 cSt - 820 kg/m³

LN/LE	0.034	10	USgal/h 0.40-0.45
LN/LE	0.034	10	USgal/h 0.50-1.00

žymėjimas USgal/h	Tipas LN/LE kampas ir tipas 60°N	našumas** kg/h
0.45	030H7406	1.45
0.50	030H7408	1.65
0.55	030H7410	1.89
0.60	030H7412	2.17
0.65	030H7414	2.45
0.75	030H7416	2.78
0.85	030H7418	3.20
1.00	030H7420	3.63

**purkštukų duomenys paskaičiuoti esant: 11.6 bar - 2.0 cSt - 820 kg/m³

EH & ES purkštukai žibalui
Mažiausias užsakomas kiekis 10 vnt

				LTL be PVM
EH/ES	0.030	100	USgal/h 0.40-0.45	33,29
EH/ES	0.030	100	USgal/h 0.50-1.10	30,45

Užsakymo lentelės
Tipas EH - tuščiaviduris (hollow) išpurškimo būdas

žymėjimas USgal/h	60°	80°	nominalus kg/h	l/h (apvalintas)	fiktras mm	Filtro tipas
0.40	030H6304	030H8304	1.20	1.50	45	Sinter
0.45	030H6306	030H8306	1.35	1.70	45	Sinter
0.50	030H6308	030H8308	1.50	1.90	75	Sinter
0.55	030H6310	030H8310	1.65	2.10	75	Sinter
0.60	030H6312	030H8312	1.80	2.25	75	Sinter
0.65	030H6314	030H8314	1.95	2.45	75	Sinter
0.75	030H6316	030H8316	2.25	2.85	75	Sinter
0.85	030H6318	030H8318	2.55	3.20	75	Sinter
1.00	030H6320	030H8320	3.00	3.80	75	Sinter
1.10	030H6322	030H8322	3.30	4.14	120	Sinter



Tipas ES - vientisas (solid) išpurškimo būdas



Marking USgal/h	60°	80°	Nominal kg/h	l/h (rounded)	Filter mesh mm	Filter Tipas
0.40	030F6304	030F8304	1.20	1.50	45	Sinter
0.45	030F6306	030F8306	1.35	1.70	45	Sinter
0.50	030F6308	030F8308	1.50	1.90	75	Sinter
0.55	030F6310	030F8310	1.65	2.10	75	Sinter
0.60	030F6312	030F8312	1.80	2.25	75	Sinter
0.65	030F6314	030F8314	1.95	2.45	75	Sinter
0.75	030F6316	030F8316	2.25	2.85	75	Sinter
0.85	030F6318	030F8318	2.55	3.20	75	Sinter
1.00	030F6320	030F8320	3.00	3.80	75	Sinter
1.10	030F6322	030F8322	3.30	4.15	120	Sinter

SFD/SD ir HFD/HD purkštukai iš plieno

Mažiausias užsakomas kiekis 12 vnt.

				LTL be PVM
0.030	120	USgal/h 0.30-0.35		39,12
0.030	120	USgal/h 0.40-0.45		35,43
0.030	120	USgal/h 0.50-11		32,52
0.030	120	USgal/h 12,0-35,0 over 35,0		

 DANFOSS A30-216.10  DANFOSS A30-217.10	kg/h	žymėjimas			USgal/h
		45°	60°	80°	
SFD	1.12	030F4002	030F6002	030F8002	0.30
	1.31	030F4003	030F6003	030F8003	0.35
	1.50	030F4004	030F6004	030F8004	0.40
	1.68	030F4006	030F6006	030F8006	0.45
	1.87	030F4008	030F6008	030F8008	0.50
	2.06	030F4010	030F6010	030F8010	0.55
	2.24	030F4012	030F6012	030F8012	0.60
	2.43	030F4014	030F6014	030F8014	0.65
	2.81	030F4016	030F6016	030F8016	0.75
	3.18	030F4018	030F6018	030F8018	0.85
	3.74	030F4020	030F6020	030F8020	1.00
	SD	4.12	030F4022	030F6022	030F8022
4.68		030F4024	030F6024	030F8024	1.25
5.05		030F4026	030F6026	030F8026	1.35
5.61		030F4028	030F6028	030F8028	1.50
6.17		030F4029	030F6029	030F8029	1.65
6.55		030F4030	030F6030	030F8030	1.75
7.48		030F4032	030F6032	030F8032	2.00
8.42		030F4034	030F6034	030F8034	2.25
9.35		030F4036	030F6036	030F8036	2.50

 DANFOSS A30-216.10  DANFOSS A30-218.10	kg/h	45°	60°	80°	USgal/h	
		HFD	1.50	030H4004		030H6004
1.68	030H4006		030H6006	030H8006	0.45	
1.87	030H4008		030H6008	030H8008	0.50	
2.06	030H4010		030H6010	030H8010	0.55	
2.24	030H4012		030H6012	030H8012	0.60	
2.43	030H4014		030H6014	030H8014	0.65	
2.81	030H4016		030H6016	030H8016	0.75	
3.18	030H4018		030H6018	030H8018	0.85	
3.74	030H4020		030H6020	030H8020	1.00	
HD	4.12		030H4022	030H6022	030H8022	1.10
	4.68		030H4024	030H6024	030H8024	1.25
	5.05		030H4026	030H6026	030H8026	1.35
	5.61	030H4028	030H6028	030H8028	1.50	
	6.17	030H4029	030H6029	030H8029	1.65	
	6.55	030H4030	030H6030	030H8030	1.75	
	7.48	030H4032	030H6032	030H8032	2.00	
	8.42	030H4034	030H6034	030H8034	2.25	
	9.35	030H4036	030H6036	030H8036	2.50	